


ANTIBODIES FOR NEUROCIRCUITRY

www.ptglab.com



WELCOME

Neurocircuitry, the neural wiring of the brain, is a term steeped in computer-based allegories that can oversimplify the complexity of the brain's neuronal activity. However, neuroscientists have long recognized that the brain is far more complex than any man-made machine. It's estimated that there are approximately 100 billion neurons in the human brain and up to ten times as many connections that form between them. These connections – in the form of synaptic junctions – can arise between the same two cells multiple times, between those adjacent to and distant from each other, and vary in strength. Adding to this complexity is an array of neurotransmitters, which can be either excitatory or inhibitory; some can even elicit their neuromodulatory effects at sites great distances from their release. In addition to these chemical signals, the existence of electrical gap junctions between neurons adds yet another layer of intricacy to the brain's neurocircuitry.

Though a variety of sophisticated technologies are at the forefront of neurocircuitry and neurophysiological research, antibodies also have a role to play. Here we present a selection of antibodies for studying the structure and function of synapses, which arguably provide the fundamental underpinning of neurocircuitry in the cerebral cortex and facilitate neuronal plasticity.

Neurocircuitry abnormalities remain incompletely understood and consequently current treatment options are unfortunately limited in efficacy.

What's Inside

6

Antibodies Related To: **Addiction**

_

Antibodies Related To: Attention Deficit Hyperactivity Disorder (ADHD)

7-8

Antibodies Related To: **Cognition**

9-10

Antibodies Related To: **Depression**

10-11

Antibodies Related To: **Eating Disorders**

11-13

Antibodies Related To:

Fear

13

More Antibodies For Mood Disorders

14

Contact Us



THE BENCHMARK IN ANTIBODIES

Since the day it was founded, Proteintech®* has been making all of its products to the highest standards possible while taking complete responsibility for the quality of each product.

- Proteintech makes every single antibody in its 12,000+ catalog.
- Each Proteintech product is unique and cannot be bought under a different label.
- Antibodies are tested with siRNA-treated samples to demonstrate specificity.
- It works in every single species and application or get a full money-back refund.

Proteintech has over 12,000 antibodies in its extensive catalog, all fully validated and available for next day delivery.

www.ptglab.com

*Proteintech® and the Proteintech logo are trademarks of Proteintech Group registered in the US Patent and Trademark Office.



Antibodies Related To:

Addiction

Addiction is a chronic disorder that relapses. It is characterized by a need to take a drug and not being able to control its intake, accompanied by a negative emotional state when the intake is prevented.

Antibody Name	Catalog Number	Туре	Applications
AGS3	11483-1-AP	Rabbit Poly	ELISA, IF, IHC,WB
FAAH	1 17909-1-AP	Rabbit Poly	ELISA, IHC, WB
PPP3CA	13422-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
PPP3CA-specific	1 55147-1-AP	Rabbit Poly	ELISA, IHC, WB



00 This number shows the amount of times our antibody has been cited in a publication.

Antibodies Related To:

Attention Deficit Hyperactivity Disorder (ADHD)

Attention deficit hyperactivity disorder (ADHD) patients show different types of symtopms, such as hyperactivity, inattentiveness, or impulsiveness.

Antibody Name	Catalog Number	Туре	Applications
CORO1A	17760-1-AP	Rabbit Poly	ELISA, IP, WB
DAT	22524-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
LPHN3	20045-1-AP	Rabbit Poly	ELISA, FC, IP, WB
SLC9A9	13718-1-AP	Rabbit Poly	ELISA, IF, WB
TPH2	22590-1-AP	Rabbit Poly	ELISA, WB



This number shows the amount of times our antibody has been cited in a publication.

PRODUCT FOCUS

DOCK3; MOCA

Catalog Number 20683-1-AP

Type **Rabbit Polyclonal**

Applications ELISA, WB

1 Publication

Dedicator of cytokinesis3 (DOCK3), also known as MOCA and PBP, is a ~180 kDa protein involved in signaling transduction. It is a potential guanine nucleotide exchange factor (GEF) that activates small GTPases by exchanging bound GDP for free GTP. DOCK3 is associated in Alzheimer's disease tangles and regulates the accumulation of amyloid precursor protein and beta-amyloid. Overexpression of DOCK3 in neural cells

promotes axonal outgrowth downstream of brain-derived neurotrophic factor (BDNF) signaling. DOCK3 binds to and inactivates glycogen synthase kinase-3 β (GSK-3 β) at the plasma membrane, thereby promoting axon branching and microtubule assembly. By stimulating actin polymerization and microtubule assembly, DOCK3 plays important roles downstream of BDNF signaling in the CNS.

Antibodies Related To:

Cognition

Decision making (DM) includes complex cooperation between cognition and emotion. How the neural system promotes the cooperation of cognitive and emotional remains unclear. Understanding the cellular and circuit mechanisms of cognition of the hippocampus and cortex system will provide critical support for diverse mental health issues.

Antibody Name	Catalog Number	Туре	Applications
Adenosine A1 Receptor	55026-1-AP	Rabbit Poly	ELISA, IHC,WB
CBR3	15619-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
CHL1	25250-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
CHRNA7	21379-1-AP	Rabbit Poly	ELISA, WB
CTNS	13085-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
CUX2	24902-1-AP	Rabbit Poly	ELISA, WB
DGCR2	13705-1-AP	Rabbit Poly	ELISA, WB
DNAJB2 3	10838-1-AP	Rabbit Poly	ELISA, IP, WB
DOCK8	11622-1-AP	Rabbit Poly	ELISA, IHC, WB
ELN 2	15257-1-AP	Rabbit Poly	ELISA, IHC, IP
FMN2 1	11259-1-AP	Rabbit Poly	ELISA, IHC, WB
GNAS 1	10150-2-AP	Rabbit Poly	ELISA, IHC, IP, WB
GOSR2/Membrin	12095-1-AP	Rabbit Poly	ELISA, IF, WB
HDAC4 5	17449-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
HDAC4-specific 1	16165-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
HLA-DRA	17221-1-AP	Rabbit Poly	ELISA, IHC, WB
HOXA1	13513-1-AP	Rabbit Poly	ELISA, WB
HTR6	23561-1-AP	Rabbit Poly	ELISA, IHC
JAKMIP1 2	13846-1-AP	Rabbit Poly	ELISA, FC, IHC, IP, WB
KIF1C	12760-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
LHCGR 3	19968-1-AP	Rabbit Poly	ELISA, WB
LIMK1	19699-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
MAGT1 3	17430-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
MAOA 5	10539-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
NESP55,GNAS	66253-1-lg	Mouse Mono	ELISA, WB
NIPBL	18792-1-AP	Rabbit Poly	ELISA, IF, WB
PANK2	11001-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
PEX16	14816-1-AP	Rabbit Poly	ELISA, IF, WB
PI3K p85(alpha)	60225-1-lg	Mouse Mono	ELISA, IF, IHC, IP, WB
REEP2 2	15684-1-AP	Rabbit Poly	ELISA, FC, WB
RP9	16832-1-AP	Rabbit Poly	ELISA, WB
SLC1A4	13067-2-AP	Rabbit Poly	ELISA, IP, WB
SRGAP2	22519-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
SRPX2 3	11845-1-AP	Rabbit Poly	ELISA, IHC, WB

Related Antibodies Continued

Antibody Name	Catalog Number	Туре	Applications
ST3GAL4	13546-1-AP	Rabbit Poly	ELISA, IHC, WB
STRA6	1 22001-1-AP	Rabbit Poly	ELISA, WB



This number shows the amount of times our antibody has been cited in a publication.

PRODUCT FOCUS

CHMP2B

Catalog Number 12527-1-AP


Type **Rabbit Polyclonal**

Applications ELISA, IF, IHC, WB

2 Publications


KD/KO Validated

CHMP2B, chromatin-modifying protein 2b, also known as CHMP2.5, VPS2B, and VPS2 2, belongs to the chromatin-modifying protein/charged multivesicular body protein (CHMP) family. It is a component of the endosomal sorting complex required for transport III (ESCRT-III), which involves the endosomal and autophagic trafficking of proteins to lysosomes for degradation.



Immunohistochemical staining of paraffinembedded human brain using CHMP2B antibody (12527-1-AP) at a dilution of 1:50 (40x objective).

Mutations of CHMP2B lead to C-terminal truncation or to it being replaced with mis-splicing C-termini and causing frontotemporal lobar degeneration (FTLD). In CHMP2B mutation patients, p62- and ubiquitin-positive, but TDP-43 and FUS negative neural inclusions are formed, possibly caused by impaired lysosomal degradation through the autophagy and endosome-lysosome pathways.



Immunofluorescence staining of HepG2 cells using CHMP2B antibody (12527-1-AP) at a dilution of 1:25 and goat anti-rabbit IgG rhodamine-labeled secondary antibody (red). Blue pseudocolor = DAPI (fluorescent DNA dye).

Adenosine A1 Receptor

Catalog Number 55026-1-AP


Type **Rabbit Polyclonal**

Applications ELISA, IHC, WB

1 Publication

ADORA1, also known as RDC7, is a receptor for adenosine. It is mediated by G proteins that inhibit adenylyl cyclase. Adenosine

is an important mediator of ethanol intoxication and exerts some of its effects via ADORA1 in the central nervous system.



Immunohistochemical staining of paraffin-embedded mouse brain tissue slide using ADORA1 antibody (55026-1-AP) at a dilution of 1:200 (10x objective). Heat-mediated antigen retrieved with Tris-EDTA buffer (pH9).

Antibodies Related To:

Depression

Depression is a common mental illness. Deeper insights into the neurocircuitry of mood disorders will help to elucidate the vulnerability of certain individuals to depression. During depression, different risk factors, such as environmental influences, trigger different cellular events leading to neuronal dysfunction and disruption of neurocircuitry. Better understanding of these mechanisms will help in the development of novel antidepressants.

Antibody Name	Catalog Number	Туре	Applications
ABHD6	20494-1-AP	Rabbit Poly	ELISA, WB
ARF1 5	10790-1-AP	Rabbit Poly	ELISA, IHC, WB
CD38 1	25284-1-AP	Rabbit Poly	ELISA, FC, IHC, WB
CISD2 7	13318-1-AP	Rabbit Poly	ELISA, FC, IF, IHC, IP, WB
CISD2-Specific	66082-1-lg	Mouse Mono	ELISA, IF, IHC, WB
CPLX2 3	18149-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
DNMT1 3	24206-1-AP	Rabbit Poly	ELISA, IF, IP, WB
DRD1 2	17934-1-AP	Rabbit Poly	ELISA, WB
DRD5	20310-1-AP	Rabbit Poly	ELISA, FC, WB
FMR1	13755-1-AP	Mouse Mono	ELISA, IF, IHC, IP, WB
GLYAT	10900-1-AP	Rabbit Poly	ELISA, WB
GLYATL1	15717-1-AP	Rabbit Poly	ELISA, IHC, WB
KCNB1-Specific 1	19963-1-AP	Rabbit Poly	ELISA, IF
mGluR1 1	19955-1-AP	Rabbit Poly	ELISA, FC, IHC, WB
p150 glued	55182-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
PDLIM5 2	10530-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
PICK1 3	10983-2-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
PLK2	15956-1-AP	Rabbit Poly	ELISA, IP, WB
POLG2	10997-2-AP	Rabbit Poly	ELISA, IF, IHC, WB
PPP1R9A	18801-1-AP	Rabbit Poly	ELISA, IF, WB
PTEN 5	60300-1-lg	Mouse Mono	ELISA, IF, IHC, WB
PYK2	17592-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
RRM2B, p53R2	18005-1-AP	Rabbit Poly	ELISA, WB
SERCA2 1	13985-1-AP	Rabbit Poly	ELISA, WB
SRF 1	16821-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
STXBP1 1	11459-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
TPH2	22590-1-AP	Rabbit Poly	ELISA, WB
TRPV1	22686-1-AP	Rabbit Poly	ELISA, IHC, WB
Twinkle 1	13435-1-AP	Rabbit Poly	ELISA, IHC, WB
XBP1 1	25997-1-AP	Rabbit Poly	ELISA, IHC, WB
XBP1S	24868-1-AP	Rabbit Poly	ELISA, IHC, WB

PRODUCT FOCUS

WFS1

Catalog Number 11558-1-AP

Rabbit Polyclonal

Applications ELISA, IHC, IP, WB

20 Publications

KD/KO Validated

Wolfram syndrome protein (WFS1), also called wolframin, is a transmembrane protein located primarily in the endoplasmic reticulum, the expression of which is induced in response to ER stress, partially through transcriptional activation. ER localization suggests that WFS1 protein has physiological functions in membrane trafficking, secretion,



Western blotting of mouse brain tissue subjected to SDS PAGE with WFS1 antibody (11558-1-AP) at a dilution of 1:1500.

processing, and/or regulation of ER calcium homeostasis. It is ubiquitously expressed at the highest levels in the brain, pancreas, heart, and insulinoma beta-cell lines. Mutations of the WFS1 gene are responsible for two hereditary diseases, autosomal recessive Wolfram syndrome and autosomal dominant low-frequency sensorineural hearing loss.

PAX6

Catalog Number 12323-1-AP


Type **Rabbit Polyclonal**

Applications ELISA, FC, IF, IHC, WB

7 Publications

PAX6 is a paired domain and homeodomaincontaining transcription factor. Interaction with TRIM11 leads to ubiquitination of PAX6 and its proteasomal degradation. PAX6 is one of the earliest genes expressed in the

eye field and considered a master control gene for retinal and eye development. PAX6 also regulates the development of the olfactory and central nervous systems, pituitary, and pancreas.



Immunohistochemical staining of paraffin-embedded human brain using PAX6 antibody (12323-1-AP) at a dilution of 1:50 (40x objective).

Antibodies Related To:

Eating Disorders

Eating disorders are serious mental disorders with short lifetime. Bulimia and anorexia patients show distinct brain circuitry that may support the pathophysiology of eating disorders.

Antibody Name	Catalog Number	Туре	Applications
BDNF	5 25699-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
CPT1A	32 15184-1-AP	Rabbit Poly	ELISA, FC, IF, IHC, IP, WB




00 This number shows the amount of times our antibody has been cited in a publication.

Related Antibodies Continued

Antibody Name	Catalog Number	Туре	Applications
STAT3	9 10253-2-AP	Rabbit Poly	ELISA, FC, IF, IHC, IP, WB
TH	25859-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
UCHL1	66230-1-lg	Mouse Mono	ELISA, IF, IHC, WB



00 This number shows the amount of times our antibody has been cited in a publication.



Immunofluorescence staining of fixed PC-12 (-20°C Ethanol) cells using BDNF antibody (25699-1-AP) at a dilution of 1:50 and goat anti-rabbit IgG(H+L) Alexa Fluor 488-conjugated secondary antibody.

PRODUCT FOCUS

UCHL1/PGP9.5

Catalog Number 14730-1-AP

Type **Rabbit Polyclonal**

Applications ELISA, IF, IP, WB

4 Publications

KD/KO Validated

UCHL1 (Ubiquitin carboxyl-terminal hydrolase isozyme L1) is a member of a gene family whose products hydrolyze small C-terminal adducts of ubiquitin to generate the ubiquitin monomer. Expression of UCHL1 is highly specific to neurons and to cells of the diffuse neuroendocrine system and their tumors. It is present in all neurons. This protein is present in the brain at concentrations at least 50 times greater than in other organs and is a major protein component of neuronal cytoplasm. UCHL1 is also a Parkinson's disease susceptibility gene.

Antibodies Related To:

Fear

Fear is a normal human emotion. Fear is an adaptive function and response to certain situations or contexts that depict danger.

Antibody Name	Catalog Number	Туре	Applications
ALS2	13998-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
BCL2	138 12789-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB



00 This number shows the amount of times our antibody has been cited in a publication.

Related Antibodies Continued

Antibody Name Catalog Number Type Applications CBP, EIF4E 3 11149-1-AP Rabbit Poly ELISA, FC, IF, IHC, WB CCK 13074-2-AP Rabbit Poly ELISA, IHC, WB Connexin-43 4 15386-1-AP Rabbit Poly ELISA, FC, IHC, IP, WB CRH/CRF 2 10944-1-AP Rabbit Poly ELISA, IHC, WB DEAF1 18323-1-AP Rabbit Poly ELISA, IF, IHC, WB Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB		Catalog Number	Type	Applications
CCK 13074-2-AP Rabbit Poly ELISA, IHC, WB Connexin-43 4 15386-1-AP Rabbit Poly ELISA, FC, IHC, IP, WB CRH/CRF 2 10944-1-AP Rabbit Poly ELISA, IHC, WB DEAF1 18323-1-AP Rabbit Poly ELISA, IF, IHC, WB Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB			турс	Applications
Connexin-43 4 15386-1-AP Rabbit Poly ELISA, FC, IHC, IP, WB CRH/CRF 2 10944-1-AP Rabbit Poly ELISA, IHC, WB DEAF1 18323-1-AP Rabbit Poly ELISA, IF, IHC, WB Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB	CBP, EIF4E	11149-1-AP	Rabbit Poly	ELISA, FC, IF, IHC, WB
CRH/CRF 2 10944-1-AP Rabbit Poly ELISA, IHC, WB DEAF1 18323-1-AP Rabbit Poly ELISA, IF, IHC, WB Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB	ССК	13074-2-AP	Rabbit Poly	ELISA, IHC, WB
DEAF1 18323-1-AP Rabbit Poly ELISA, IF, IHC, WB Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB	Connexin-43	15386-1-AP	Rabbit Poly	ELISA, FC, IHC, IP, WB
Dopamine beta Hydroxylase 10777-1-AP Rabbit Poly ELISA, IF, IHC, WB DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB	CRH/CRF 2	10944-1-AP	Rabbit Poly	ELISA, IHC, WB
DPP4 3 10940-1-AP Rabbit Poly ELISA, IF, IHC, WB DRD1 2 17934-1-AP Rabbit Poly ELISA, WB	DEAF1	18323-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
DRD1 2 17934-1-AP Rabbit Poly ELISA, WB		10777-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
	DPP4 3	10940-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
	DRD1 2	17934-1-AP	Rabbit Poly	ELISA, WB
EIF4G1 3 15704-1-AP Rabbit Poly ELISA, IF, IHC, IP, WB	EIF4G1 3	15704-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
ESR2 6 14007-1-AP Rabbit Poly ELISA, IHC, WB	ESR2 6	14007-1-AP	Rabbit Poly	ELISA, IHC, WB
ESR2 Beta-3 55441-1-AP Rabbit Poly ELISA, IHC	ESR2 Beta-3	55441-1-AP	Rabbit Poly	ELISA, IHC
ESR2 Beta-6 55471-1-AP Rabbit Poly ELISA, IHC, WB	ESR2 Beta-6	55471-1-AP	Rabbit Poly	ELISA, IHC, WB
GRIK2 13597-1-AP Rabbit Poly ELISA, FC, WB	GRIK2	13597-1-AP	Rabbit Poly	ELISA, FC, WB
HTR1A 55302-1-AP Rabbit Poly ELISA, IHC	HTR1A	55302-1-AP	Rabbit Poly	ELISA, IHC
MEF2C 15 10056-1-AP Rabbit Poly ELISA, IF, IHC, IP, WB	MEF2C 15	10056-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
Midkine 1 11009-1-AP Rabbit Poly ELISA, IF, IHC	Midkine 1	11009-1-AP	Rabbit Poly	ELISA, IF, IHC
p70S6K 4 14485-1-AP Rabbit Poly ELISA, FC, IF, IHC, IP, WB	p70S6K 4	14485-1-AP	Rabbit Poly	ELISA, FC, IF, IHC, IP, WB
Proenkephalin-A 13531-1-AP Rabbit Poly ELISA, WB	Proenkephalin-A	13531-1-AP	Rabbit Poly	ELISA, WB
ProGRP 1 14646-1-AP Rabbit Poly ELISA, IF, IHC, WB	ProGRP 1	14646-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
Stathmin 66090-1-lg Mouse Mono ELISA, IF, IHC, WB	Stathmin	66090-1-lg	Mouse Mono	ELISA, IF, IHC, WB
Urocortin 19731-1-AP Rabbit Poly ELISA, WB	Urocortin	19731-1-AP	Rabbit Poly	ELISA, WB
USP46 13502-1-AP Rabbit Poly ELISA, IHC, WB	USP46	13502-1-AP	Rabbit Poly	ELISA, IHC, WB
VDAC1/Porin 19 10866-1-AP Rabbit Poly ELISA, IF, IHC, IP, WB	VDAC1/Porin 19	10866-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB

00 This number shows the amount of times our antibody has been cited in a publication.

PRODUCT FOCUS

CRH/CRF

Catalog Number 10944-1-AP

Type **Rabbit Polyclonal**

Applications ELISA, IHC, WB

4 Publications

Corticotropin-releasing hormone (CRH), also called CRF or corticoliberin, is a peptide hormone and neurotransmitter involved in the stress response. It belongs to the corticotropin-releasing factor family. A marked reduction in this protein has been observed in association with Alzheimer's disease and autosomal recessive hypothalamic corticotropin deficiency has multiple and

potentially fatal metabolic consequences, including hypoglycemia and hepatitis. In addition to production in the hypothalamus, this protein is also synthesized in peripheral tissues, such as T lymphocytes, and is highly expressed in the placenta. In the placenta it is a marker that determines the length of gestation and the timing of parturition and delivery.

PRODUCT FOCUS

Stathmin 1

Catalog Number 11157-1-AP

Type
Rabbit Polyclonal

Applications ELISA, IF, IHC, WB

5 Publications

KD/KO Validated

Stathmin 1 (STMN1) normally regulates microtubule dynamics either by sequestering free tubulin heterodimers or by promoting microtubule catastrophe. STMN1 is highly expressed in fetal and adult brain, spinal cord, and cerebellum. Many different phosphorylated forms are observed depending on specific combinations among the sites that can be phosphorylated. Phosphorylation of stathmin

is involved in response to NGF, neuron polarization, and microtubule polymerization inhibition activity. Increased expression of STMN1 has been observed in a variety of human malignancies, such as colorectal primary tumors and metastatic tissues, but its association with melanoma is so far not well known.



Immunohistochemical staining of paraffin-embedded human gliomas using STMN1 antibody (11157-1-AP) at a dilution of 1:50 (10x objective).

More Antibodies For Mood Disorders

Antibody Name	Catalog Number	Туре	Applications
AVPR1B	14530-1-AP	Rabbit Poly	ELISA, IHC
CPLX2	18149-1-AP	Rabbit Poly	ELISA, IHC, IP, WB
DISC1-long-specific	15500-1-AP	Rabbit Poly	ELISA, IF, IHC, IP, WB
EAAT3	12686-1-AP	Rabbit Poly	ELISA, IHC, WB
Ephrin B1	12999-1-AP	Rabbit Poly	ELISA, WB
FXYD6	15805-1-AP	Rabbit Poly	ELISA, FC, IHC, WB
HTR1A	12999-1-AP	Rabbit Poly	ELISA, IHC
HTR1B	22189-1-AP	Rabbit Poly	ELISA, IHC
ISYNA1 2	55142-1-AP	Rabbit Poly	ELISA, IF, IHC, WB
PRODH	22980-1-AP	Rabbit Poly	ELISA, IHC, WB
RGS4	22590-1-AP	Rabbit Poly	ELISA, IF, IP, WB
SIGMAR1 1	15168-1-AP	Rabbit Poly	ELISA, IHC, WB
SMARCA2-Specific	26613-1-AP	Rabbit Poly	ELISA
TLE1 1	11284-1-AP	Rabbit Poly	ELISA, IHC
TPH2	55302-1-AP	Rabbit Poly	ELISA, WB

This number shows the amount of times our antibody has been cited in a publication.

CONTACT US

Proteintech Group

US Head Office

PHONE 1 (888) 4PTGLAB

> (1-888-478-4522) (toll free in USA),

or 1(312) 455-8498 (outside USA)

1 (312) 455-8408 FΔX

ADDRESS

Proteintech Group, Inc. 5400 Pearl Street, Suite 300, Rosemont, IL 60018, USA

EMAIL proteintech@ptglab.com

Proteintech Europe

United Kingdom

PHONE +44 (161) 8393007

FAX +44 (161) 2413103

ADDRESS Proteintech Europe, Ltd. 4th Floor,

196 Deansgate, Manchester, M3 3WF

EMAIL europe@ptglab.com

Proteintech Europe

Germany

germany@ptglab.com

Sales and technical support only.

Proteintech

China Office

PHONE 027-87531629

or 4006-900-926

FAX 027-87531627

EMAIL

ADDRESS Wuhan Sanying Biotechnologies

D3-3, No.666 Gaoxin Avenue,

Wuhan East Lake Hi-tech Development Zone

Wuhan, Hubei, P.R.C

EMAIL service@ptglab.com

Support

Available 24 hours via Live Chat and 9-5 (CDT) via phone.

Email support also available.

LIVE CHAT

www.ptglab.com

TWITTER @proteintech

www.ptglab.com/news/blog

www.youtube.com/Proteintech







We are ISO 9001 and ISO 13485 accredited.



